EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1806	(381/118,120,61).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/14 09:16
L2	35	L1 and (((variable near2 resistor) potentiometer) same switch$3 same capacit$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/14 09:17
S1	1011	(381/98).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/06/27 15:21
S2	838	(381/101-103).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 11:07
S3	2	arnold.in. and (electrical near2 signal near2 processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 14:19
S4	34	381/102-109,98,99.ccls. and ((variable near2 resistor) potentiometer) same filter same switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 15:40
S5	0	381/102-109,98,99.ccls. and (((variable near2 resistor) potentiometer) same filter same switch) and (foot near2 operated near2 switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/06/27 16:20
S6	1	"381"/$.ccls. and (((variable near2 resistor) potentiometer) same filter same switch) and (foot near2 operated near2 switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/06/27 16:21
S7	27	(((variable near2 resistor) potentiometer) same filter same switch) and (foot near2 operated near2 switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/02 13:34

S8	15	(("3548323") or ("4119922") or ("4479250") or ("4584700") or ("4701957") or ("4995084") or ("5032796") or ("5124668") or ("5131044") or ("5201009") or ("5509080") or ("5537079") or ("5574792") or ("5619578") or ("5649015")).PN.	USPAT	OR	OFF	2007/06/27 16:25
S9	4	(("6621907") or ("6631195") or ("5560924") or ("4320534")).PN.	USPAT	OR	OFF	2007/06/27 16:26
S10	0	(((variable near2 resistor) potentiometer) same filter same switch) and (foot near2 operated near2 switch) and (rotary near2 switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/02 13:34
S11	1	("3524143").PN.	USPAT	OR	OFF	2007/07/06 11:34
S12	0	S11 and (foot same operat$2 same switch) and (potentiometer (variable near2 resist$4)) and (rotary) .	USPAT	OR	OFF	2007/07/06 11:34
S13	0	S11 and (foot same operat$2 same switch) and (potentiometer (variable near2 resist$4))	USPAT	OR	OFF	2007/11/29 11:05
S14	0	S11 and (foot same operat$2 same switch)	USPAT	OR	OFF	2007/07/06 11:33
S15	2	("3524143").PN.	USPAT; USOCR	OR	OFF	2007/07/06 11:34
S16	0	S15 and (foot same operat$2 same switch) and (potentiometer (variable near2 resist$4)) and (rotary)	USPAT; USOCR	OR	OFF	2007/07/06 11:34
S17	1	S15 and (foot same operat$2 same switch) and (potentiometer (variable near2 resist$4))	USPAT; USOCR	OR	OFF	2007/07/06 11:55
S18	14	"330".ccls. and (foot same operat$2 same switch) and (potentiometer (variable near2 resist$4)) and amplifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 12:02
·S19	3076	(330/57,107,109,294,302).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	. 2007/07/06 11:57
S20	1	"330"/$.ccls. and ((foot near3 operat$2 near2 switch) with filter$1) and (potentiometer (variable near2 resist$4)) and amplifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 12:10

EAST Search History

S21	0	"84"/$.ccls. and ((foot near3 operat$2 near2 switch) with filter$1) and (potentiometer (variable near2 resist$4)) and amplifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/20 21:12
S22	1	S19 and ((foot near3 operat$2 near2 switch) with filter$1) and (potentiometer (variable near2 resist$4)) and amplifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 12:10
S23	0	381/102-109,98,99.ccls. and (filter$3 near3 network) with switch with select$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 11:05
S24	51	381/102-109,98,99.ccls. and (filter$3 with switch with select$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 15:42
S25	0	381/102-109,98,99.ccls. and (filter$3 near3 network) with switch$3 with select$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 15:41
S26	33	381/102-109,98,99.ccls. and (filter$3 with switch with select$3) and (potentiometer (variable near2 resist$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 15:43
S27	9	("3530224").URPN.	USPAT	OR	OFF	2007/07/06 16:19
S29	262	(84/711).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 14:01
S30	1050	(381/123,61).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/07/06 16:46
S31	0	"381"/$.ccls. and ((foot near3 operat$2 near2 switch) with filter$1) and (potentiometer (variable near2 resist$4)) and capacit$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/21 09:13

EAST Search History

S33	1	((foot near3 operat$2 near2 switch) with filter$1) and (potentiometer (variable near2 resist$4)) and capacit$5 and guitar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/21 09:14
S34	3112	(330/57,107,109,294,302).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/21 09:17
S35	2	S34 and guitar and (foot adj2 operated adj2 switch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/21 09:17
S36	79	381/102-109,98,99.ccls. and (filter$3) with switch$3 with select$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 11:05
S37	3114	(330/57,107,109,294,302).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 11:06
S39	3863	(381/101-109,98,99).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 11:07
S40	2	S39 and (foot same operat$2 same switch) and (potentiometer (variable near2 resist$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 11:08
S41	1	"330"/$.ccls. and ((foot near3 operat$2 near2 switch) with filter$1) and (potentiometer (variable near2 resist$4)) and capacit$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 13:51
S42	0	"330"/$.ccls. and ((foot near3 operat$2 near2 switch) with filter$1) and (first with second with (potentiometer (variable near2 resist$4))) and capacit$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 13:52
S43	0	"330"/$.ccls. and ((foot near3 operat$2 near2 switch) with filter$1) and (first with second with (potentiometer (variable near2 resist$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 13:52

EAST Search History

S44	0	"330"/$.ccls. and (foot near3 operat$2 near2 switch) same filter$1 same first same second same (potentiometer (variable near2 resist$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 13:53
S45	0	"381"/$.ccls. and (foot near3 operat$2 near2 switch) same filter$1 same first same second same (potentiometer (variable near2 resist$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 13:53
S46	1	"84"/$.ccls. and (foot near3 operat$2 near2 switch) same filter$1 same first same second same (potentiometer (variable near2 resist$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 13:55
S47	1	((foot near3 operat$2 near2 switch) same filter$1 same first same second same (potentiometer (variable near2 resist$4))) and guitar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 14:02
S48	430	(84/706,DIG.19).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 17:03
S49	1	S48 and ((foot near3 operat$2 near2 switch) same filter$1 same first same second same (potentiometer (variable near2 resist$4))) and guitar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 14:15
S50	16	("3418418").URPN.	USPAT	OR	OFF	2007/11/29 14:12
S51	0	S48 and ((foot near3 operat$2 near2 switch) same first same second same (potentiometer (variable near2 resist$4))) and guitar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 14:15
S52	0	((foot near3 operat$2 near2 switch) same (rotary adj2 switch) same first same second same (potentiometer (variable near2 resist$4))) and guitar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 14:16
S53	0	(foot near3 operat$2 near2 switch) and (rotary adj2 switch) and (first same second same (potentiometer (variable near2 resist$4))) and guitar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 14:24

S54	0	(foot near3 operat$2 near2 switch) and (rotary adj2 switch) and guitar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 14:25
S55	44	(foot near3 operat$2 near2 switch) and guitar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 14:25
S56	6	(foot near3 operat$2 near2 switch) same guitar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 14:25
S57	297	(84/678).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 14:26
S58	3114	(330/57,107,109,294,302).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 14:31
S59	2	S58 and (foot same operat$2 same switch) and (potentiometer (variable near2 resist$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 15:13
S60	139	(foot near2 switch) same (potentiometer (variable near2 resist$4)) same capacit$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 15:14
S61	12	((foot near2 switch) same (potentiometer (variable near2 resist$4)) same capacit$5) and guitar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 15:16
S62	0	((foot near2 switch) with (potentiometer (variable near2 resist$4)) same ((switch$3 select$3 choos$3) adj2 (capacitors capacitances))) and guitar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 15:21
S63	0	((foot near2 switch) with (potentiometer (variable near2 resist$4)) same ((switch$3 select$3 choos$3) adj2 (capacitors capacitances)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 15:21

S64	0	((foot near2 switch) same (potentiometer (variable near2 resist$4)) same ((switch$3 select$3 choos$3) adj2 (capacitors capacitances)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 15:22
S65	195	((switch) same (potentiometer (variable near2 resist$4)) same ((switch$3 select$3 choos$3) adj2 (capacitors capacitances)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 15:22
S66	197	(switch flip alternate sway) same (potentiometer (variable near2 resist$4)) same ((switch$3 select$3 choos$3) adj2 (capacitors capacitances))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 15:23
S67	211	(84/735,736).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 17:42
S68	13	S67 and guitar and (select$4 near2 (filter$3 capacit$5)) and switch$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/29 17:42
S69	1672	(333/17.1,174).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/30 10:36
S70	11	S69 and (automatic$4 near2 control$4 near2 filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/30 10:37
S71	211	(84/735,736).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/30 10:54
S72	19	("3915048" | "4151776" | "4175462" | "4613985" | "4711149" | "4733591" | "4773294" | "5136919" | "5299282" | "5300727" | "5311806" | "5343793" | "5380948" | "5399800" | "5738080" | "5780760" | "5866834" | "5883323" | "6316713").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/30 10:44

EAST Search History

S73	125	(84/742).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2007/11/30 10:53
S74	1	("3742114").PN.	USPAT	OR	OFF	2008/02/05 13:55
S75	10	("3742114").URPN.	USPAT	OR	OFF	2008/02/05 14:14
S76	21	("2070344" | "2976755" | "3147332" | "3223771" | "3240859" | "3482028" | "3493669" | "3518358" | "3524375" | "3555166" | "3662641" | "3673304").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/05 14:17
S77	13	arnold.in. and (guitar)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 14:21
S78	2	"84"/$.ccls. and (guitar) and (((variable near2 resistor) potentiometer) same foot-operated same switch same capacit$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 14:24
S79	2	(guitar) and (((variable near2 resistor) potentiometer) same foot-operated same switch same capacit$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 14:24
S80	142	(guitar) and (((variable near2 resistor) potentiometer) same switch same capacit$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 14:25
S81	116	"84"/$.ccls. and (guitar) and (((variable near2 resistor) potentiometer) same switch same capacit$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 14:26
S82	33	"84"/$.ccls. and (guitar) and (((variable near2 resistor) potentiometer) same switch same (capacitors capacitances))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 14:39
S83	26	paul.in. and pickup and guitar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 14:51

S84	14	gibson.in. and guitar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/05 14:51
S85	1	(foot near2 switch) and ((potentiometer (variable near2 resist$4)) same ((switch$3 select$3 choos$3) adj2 (capacitors capacitances)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/12 17:04
S86	6	(foot near2 switch) and (potentiometer (variable near2 resist$4) and ((switch$3 select$3 choos$3) adj2 (capacitors capacitances))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2008/02/12 17:05